



CREIA Standards of Practice

Residential Standards of Practice - Four or Fewer Units

Part I. Definitions and Scope

These Standards of Practice provide guidelines for a *home inspection* and define certain terms relating to these *inspections*. Italicized words in these Standards are defined in Part IV, Glossary of Terms.

- A. A *home inspection* is a noninvasive visual survey and basic *operation* of the systems and *components* of a home which can be reached, entered, or viewed without difficulty, moving obstructions, or requiring any action which may result in damage to the property or personal injury to the *Inspector*. The purpose of the *inspection* is to provide the Client with information regarding the general *condition* of the *building(s)* to assist client in determining what further evaluation, inspection, and repair estimates Client should perform or obtain prior to the release of contingencies.
- B. A *home inspection* report provides written documentation of material defects discovered in the *inspected building's systems* and *components* which, in the opinion of the *Inspector*, are *safety hazards*, are not *functioning* properly, or appear to be at the ends of their service lives. The report may include the *Inspector's* recommendations for correction or further evaluation.
- C. All further evaluation, inspection, and repair work needs to be provided by competent and qualified professionals who are licensed and/or certified.
- D. Client should consider all available information when negotiating regarding the Property.
- E. *Inspections* performed in accordance with these Standards of Practice are not *technically exhaustive* and shall apply to the *primary building* and its associated *primary parking structure*.
- F. Cosmetic and aesthetic *conditions* shall not be considered

Part II. Standards of Practice

A *home inspection* includes the *readily accessible systems* and *components*, or a *representative number* of multiple similar *components* listed in Sections 1 through 9 subject to the limitations, exceptions, and exclusions in Part III.

SECTION 1 - Foundation, Basement, and Under-floor Areas

- A. Items to be *inspected*:
 - 1. Foundation *system*/
 - 2. Floor framing *system*
 - 3. Under-floor ventilation
 - 4. Foundation anchoring and cripple wall bracing
 - 5. Wood separation from soil
 - 6. Insulation
- B. The *Inspector* is not required to:
 - 1. Determine size, spacing, location, or adequacy of foundation bolting/bracing *components* or reinforcing

system.

2. Determine the composition or energy rating of insulation materials.

SECTION 2 - Exterior

A. Items to be *inspected*:

1. Surface grade directly adjacent to the *buildings*
2. Doors and windows
3. Attached decks, porches, patios, balconies, stairways and their enclosures, handrails and guardrails
4. Wall cladding and trim
5. Portions of walkways and driveways that are adjacent to the *buildings*
6. Pool or spa drowning prevention features, for the sole purpose of identifying which, if any, are present.

B. The *Inspector* is not required to:

1. *Inspect* door or window screens, shutters, awnings, or security bars
2. *Inspect* fences or gates or *operate* automated door or gate openers or their safety devices
3. Use a ladder to *inspect systems* or *components*
4. Determine if ASTM standards are met or any drowning prevention feature of a pool or spa is installed properly or is adequate or effective.
5. Test or *operate* any drowning prevention feature.

SECTION 3 - Roof Covering

A. Items to be *inspected*:

1. Covering
2. Drainage
3. Flashings
4. Penetrations
5. Skylights

B. The *Inspector* is not required to:

1. Walk on the roof surface if in the opinion of the Inspector there is risk of damage or a *hazard* to the *Inspector*
2. Warrant or certify that roof *systems*, coverings, or *components* are free from leakage

SECTION 4 - Attic Areas and Roof Framing

A. Items to be *inspected*:

1. Framing
2. Ventilation
3. Insulation

B. The *Inspector* is not required to:

1. *Inspect* mechanical attic ventilation *systems* or *components*
2. *Determine* the composition or energy rating of insulation materials

SECTION 5 - Plumbing

A. Items to be *inspected*:

1. Water supply piping
2. Drain, waste, and vent piping
3. Faucets, toilets, sinks, tubs, showers
4. Fuel gas piping
5. Water heaters

B. The *Inspector* is not required to:

1. Fill any *fixture* with water, inspect overflow drains or drain-stops, or evaluate backflow devices, waste ejectors, sump pumps, or drain line cleanouts

2. *Inspect* or evaluate water temperature balancing *devices*, temperature fluctuation, time to obtain hot water, water circulation, or solar heating *systems* or *components*
3. *Inspect* whirlpool baths, steam showers, or sauna systems or *components*
4. *Inspect* fuel tanks or *determine* if the fuel gas system is free of leaks
5. *Inspect* wells, private water supply or water treatment *systems*

SECTION 6 - Electrical

- A. Items to be *inspected*:
1. Service equipment
 2. Electrical panels
 3. Circuit wiring
 4. Switches, receptacles, outlets, and lighting fixtures
- B. The *Inspector* is not required to:
1. *Operate* circuit breakers or circuit interrupters
 2. Remove cover plates
 3. *Inspect* de-icing *systems* or *components*
 4. *Inspect* onsite electrical generation or storage or emergency electrical supply *systems* or *components*

SECTION 7 - Heating and Cooling

- A. Items to be *inspected*:
1. Heating equipment
 2. Central cooling equipment
 3. Energy source and connections
 4. Combustion air and exhaust vent *systems*
 5. Condensate drainage
 6. Conditioned air distribution *systems*
- B. The *Inspector* is not required to:
1. *Inspect* heat exchangers or electric heating elements
 2. *Inspect* non-central air conditioning units or evaporative coolers
 3. *Inspect* radiant, solar, hydronic, or geothermal *systems* or *components*
 4. *Determine* volume, uniformity, temperature, airflow, balance, or leakage of any air distribution *system*
 5. *Inspect* electronic air filtering or humidity control *systems* or *components*

SECTION 8 - Building Interior

- A. Items to be *inspected*:
1. Walls, ceilings, and floors
 2. Doors and windows
 3. Stairways, handrails, and guardrails
 4. *Permanently installed* cabinets
 5. *Permanently installed* cook-tops, mechanical range vents, ovens, dishwashers, and food waste disposals
 6. Absence of smoke and carbon monoxide alarms
 7. Vehicle doors and openers
- B. The *Inspector* is not required to:
1. *Inspect* window, door, or floor coverings
 2. *Determine* whether a building is secure from unauthorized entry
 3. *Operate*, test or *determine* the type of smoke or carbon monoxide alarms or test vehicle door safety devices
 4. Use a ladder to *inspect systems* or *components*

SECTION 9 - Fireplaces and Chimneys

- A. Items to be *inspected*:
 - 1. Chimney exterior
 - 2. Spark arrestor
 - 3. Firebox
 - 4. Damper
 - 5. Hearth extension
- B. The *Inspector* is not required to:
 - 1. *Inspect* chimney interiors
 - 2. *Inspect* fireplace inserts, seals, or gaskets
 - 3. *Operate* any fireplace or *determine* if a fireplace can be safely used

Part III. Limitations, Exceptions, and Exclusions

- A. The following are *excluded* from a home *inspection*:
 - 1. *Systems* or *components* of a *building*, or portions thereof, which are not readily accessible, not *permanently installed*, or not inspected due to circumstances beyond the control of the *Inspector* or which the Client has agreed or specified are not to be *inspected*
 - 2. Site improvements or amenities, including, but not limited to; accessory buildings, fences, planters, landscaping, irrigation, swimming pools, spas, ponds, waterfalls, fountains or their components or accessories
 - 3. Auxiliary features of *appliances* beyond the *appliance's* basic *function*
 - 4. *Systems* or *components*, or portions thereof, which are under ground, under water, or where the *Inspector* must come into contact with water
 - 5. Common areas as defined in California Civil Code section 1351, et seq., and any dwelling unit *systems* or *components* located in common areas
 - 6. *Determining* compliance with manufacturers' installation guidelines or specifications, *building* codes, accessibility standards, conservation or energy standards, regulations, ordinances, easements, setbacks, covenants, or other restrictions
 - 7. *Determining* adequacy, efficiency, suitability, quality, age, or remaining life of any *building*, *system*, or *component*, or marketability or advisability of purchase
 - 8. Structural, architectural, geological, environmental, hydrological, land surveying, or soils-related examinations
 - 9. Acoustical or other nuisance characteristics of any *system* or *component* of a *building*, complex, adjoining property, or neighborhood
 - 10. Wood Destroying Organisms (WDO) including termites or any insect, as well as rot or any fungus, that damage wood. Under California law, only an inspector licensed by the Structural Pest Control Board is qualified or authorized to inspect for any rot or termite activity or damage. You are advised to obtain a current WDO report and must rely on that report for any potential rot or termite activity and recommendations for repair.
 - 11. Risks associated with events or *conditions* of nature including, but not limited to; geological, seismic, wildfire, and flood
 - 12. Water testing any *building*, *system*, or *component* or *determine* leakage in shower pans, pools, spas, or any body of water
 - 13. *Determining* the integrity of hermetic seals or reflective coatings at multi-pane glazing
 - 14. Differentiating between original construction or subsequent additions or modifications
 - 15. Reviewing or interpreting information or reports from any third-party, including but not limited to; permits, disclosures, product defects, construction documents, litigation concerning the Property, recalls, or similar notices
 - 16. Specifying repairs/replacement procedures or estimating cost to correct
 - 17. Communication, computer, security, or low-voltage systems and remote, timer, sensor, or similarly

controlled *systems* or *components*

18. Fire extinguishing and suppression *systems* and *components* or determining fire resistive qualities of materials or assemblies

19. Elevators, lifts, and dumbwaiters

20. Lighting pilot lights or activating or *operating* any *system*, *component*, or *appliance* that is *shut down*, unsafe to *operate*, or does not respond to *normal user controls*

21. *Operating* shutoff valves or shutting down any *system* or *component*

22. Dismantling any *system*, structure or *component* or removing access panels other than those provided for homeowner maintenance

B. The *Inspector* may, at his or her discretion:

1. *Inspect* any *building*, *system*, *component*, *appliance*, or improvement not included or otherwise excluded by these Standards of Practice. Any such inspection shall comply with all other provisions of these Standards.

2. Include photographs in the written report or take photographs for Inspector's reference without inclusion in the written report. Photographs may not be used in lieu of written documentation.

IV. Glossary of Terms

*Note: All definitions apply to derivatives of these terms when italicized in the text.

Appliance: An item such as an oven, dishwasher, heater, etc. which performs a specific function

Building: The subject of the inspection and its primary parking structure

Component: A part of a system, appliance, fixture, or device

Condition: Conspicuous state of being

Determine: Arrive at an opinion or conclusion pursuant to a home inspection

Device: A component designed to perform a particular task or function

Fixture: A plumbing or electrical component with a fixed position and function

Function: The normal and characteristic purpose or action of a system, component, or device

Home Inspection: Refer to Part I, 'Definitions and Scope', Paragraph A

Inspect: Refer to Part I, 'Definition and Scope', Paragraph A

Inspector: One who performs a home inspection

Normal User Control: Switch or other device that activates a system or component and is provided for use by an occupant of a building

Operate: Cause a system, appliance, fixture, or device to function using normal user controls

Permanently Installed: Fixed in place, e.g. screwed, bolted, nailed, or glued

Primary Building: A building that an Inspector has agreed to inspect

Primary Parking structure: A building for the purpose of vehicle storage associated with the primary building

Readily Accessible: Can be reached, entered, or viewed without difficulty, moving obstructions, or requiring any action which may harm persons or property

Representative Number: Example, an average of one component per area for multiple similar components such as windows, doors, and electrical outlets

Safety Hazard: A condition that could result in significant physical injury

Shut Down: Disconnected or turned off in a way so as not to respond to normal user controls

System: An assemblage of various components designed to function as a whole

Technically Exhaustive: Examination beyond the scope of a home inspection, which may require disassembly, specialized knowledge, special equipment, measuring, calculating, quantifying, testing, exploratory probing, research, or analysis

2020 CREIA® ALL RIGHTS RESERVED. CREIA® IS A PUBLIC-BENEFIT, NONPROFIT ORGANIZATION.